

. . .

The future of unmanned traffic management, applied today.







- The Commission and EASA are drafting a U-space regulation
- Key for enabling the drone industry
- Open Market
- Federated deployment model
- Multiple Service Providers CISP and USSP
- U-space services

U-space – CISP vs USSP



CISP

- Designed by Member State for every U-space
- Single trustworthy source of information
- Support the exchange of information and coordination between Uspace Service Providers and ATC

USSP

- Gateway for Drone Operators
- Provide a minimum set of U-space services to drone operators






- Network identification service
- Geo-awareness service
- UAS flight authorisation service
- Traffic information service
- Weather information service Optional Service
- Conformance monitoring service Optional Service










U-space Standardisation - Existing

- ATM U-space : Existing manned Aviation Standards (1)
 - Asterix Protocols
- Network identification service (6)
 - ASTM WK65041 UAS Remote ID and Tracking (F3411 19)
 - ASD-STAN: Broadcast only for now
 - ISO: Under development










U-space Standardisation – Under development

- Geo-Awareness Service (4)
 - WG-105 SG-33: UTM Geo-Fencing (ED-269)
 - ASTM and ISO not defining UAS geographical zones
- Communication Service (7)
 - ASTM New Specification for Service provided under UAS Traffic Management
 (UTM) WK63418
- Flight Authorization Service (8)
 - ASTM New Specification for Service provided under UAS Traffic Management (UTM) - WK63418











- Weather data (2)
 - WXXM to be explored if useful for drones
 - ASTM made a proposal for standardisation
- CISP USP : Air Traffic Data (3)
- Flight Authorization Requests (5)
- Conformance Monitoring (9)





Thank you! Questions?

Andres Van Swalm

Co-Founder & COO Unifly

Luchthavenlei 7A, 2100 Antwerp, Belgium

M: +32 486 688 152

E: andres.vanswalm@unifly.aero